

Price Picture Part Number Style Color Beam Angle Voltage Wattage Lumen Efficacy Im/w CRI Base Safety Life Warranty



MADE IN USA PRODUCTS



\$132.62



HUD-WS-2700-3000K-120D-120VAC-12W	Flat Wall Sconce Complete Fixture and Lamp	2700K	120	120	12	1000	83	>80	Surface	Rohs UL Components	50,000 Hrs	3 Years
-----------------------------------	--	-------	-----	-----	----	------	----	-----	---------	-----------------------	------------	---------

\$76.16



HUD-WSR-2700-3000K-120D-120VAC-12W	Flat Wall Sconce Retrofit	2700K	120	120	12	1000	83	>80	Surface	Rohs UL Components	50,000 Hrs	3 Years
------------------------------------	---------------------------	-------	-----	-----	----	------	----	-----	---------	-----------------------	------------	---------

\$342.24



HUD Bulk Head-30K-160D-120V-36W-(Fixture Color)-SM Fixtures Available in Black or Bronze Also available in Half Moon or Open Styles	Bulk Head	3000K	160	120	36	3000	83	>80	Surface	UL	35,000 Hrs	3 Years
---	-----------	-------	-----	-----	----	------	----	-----	---------	----	------------	---------

\$318.72



HUD Bulk Head-30K-160D-120V-48W-(Fixture Color)-SM Fixtures Available in Black or Bronze Also available in Half Moon or Open Styles	Bulk Head	3000K	160	120	48	4800	100	>80	Surface	UL	35,000 Hrs	3 Years
---	-----------	-------	-----	-----	----	------	-----	-----	---------	----	------------	---------

\$382.24



HUD Bulk Head-30K-160D-277V-36W-(Fixture Color)-SM Fixtures Available in Black or Bronze Also available in Half Moon or Open Styles	Bulk Head	3000K	160	277	36	3000	83	>80	Surface	UL	35,000 Hrs	3 Years
---	-----------	-------	-----	-----	----	------	----	-----	---------	----	------------	---------

\$358.72



HUD Bulk Head-30K-160D-277V-48W-(Fixture Color)-SM Fixtures Available in Black or Bronze Also available in Half Moon or Open Styles	Bulk Head	3000K	160	277	48	4800	100	>80	Surface	UL	35,000 Hrs	3 Years
---	-----------	-------	-----	-----	----	------	-----	-----	---------	----	------------	---------

\$334.05



HUD Full Cutoff Wall Pack-30K-120D-120V-36W-(Fixture Color)-SM Fixtures Available in Black or Bronze	Full Cutoff Wall Pack	3000K	160	120	36	3000	83	>80	Surface	UL	35,000 Hrs	3 Years
---	-----------------------	-------	-----	-----	----	------	----	-----	---------	----	------------	---------

\$374.05



HUD Full Cutoff Wall PAck-30K-120D-277V-36W-(Fixture Color)-SM Fixtures Available in Black or Bronze	Full Cutoff Wall Pack	3000K	160	277	36	3000	83	>80	Surface	UL	35,000 Hrs	3 Years
---	-----------------------	-------	-----	-----	----	------	----	-----	---------	----	------------	---------

\$325.47



HUDMWP-30K-140D-120V-36W-(Fixture Color)-SM Fixtures Available in Black or Bronze	Medium Wall Pack	3000K	160	120	36	3000	52	>80	Surface	UL	35,000 Hrs	3 Years
--	------------------	-------	-----	-----	----	------	----	-----	---------	----	------------	---------

\$365.47



HUDMWP-30K-140D-277V-36W-(Fixture Color)-SM Fixtures Available in Black or Bronze	Medium Wall Pack	3000K	160	277	36	3000	52	>80	Surface	UL	35,000 Hrs	3 Years
--	------------------	-------	-----	-----	----	------	----	-----	---------	----	------------	---------

\$67.38



HUD-MS-IP54 Remote Mount Motion Sensor	Motion Sensor	NA	NA	NA	NA	NA	NA	NA	Surface	IP54	30,000 Hrs	3 Years
---	---------------	----	----	----	----	----	----	----	---------	------	------------	---------

IMPORTED PRODUCTS

\$45.90



HUAPEFLOL-FLD-(Color)-120D-(Voltage)-10W Specify Color and Voltage	Flood Light	WW 3000K CW 6000K Blue Green Red Yellow RGB	120	12V DC (White only) 85-265VAC (All Colors)	10	CW 800	CW 80	>80	Yoke	CE Rohs IP65	30,000 Hrs	2 Years
---	-------------	---	-----	---	----	--------	-------	-----	------	--------------------	------------	---------

\$75.08



HUAPEFLOL-FLD-(Color)-120D-(Voltage)-20W Specify Color and Voltage	Flood Light	WW 3000K CW 6000K Blue Green Red Yellow RGB	120	12V DC (White only) 85-265VAC (All Colors)	20	CW 1600	CW 80	>80	Yoke	CE Rohs IP65	30,000 Hrs	2 Years
---	-------------	---	-----	---	----	---------	-------	-----	------	--------------------	------------	---------

\$108.32



HUAPEFLOL-FLD-(Color)-120D-(Voltage)-30W Specify Color and Voltage	Flood Light	WW 3000K CW 6000K Blue Green Red Yellow RGB	120	12V DC (White only) 85-265VAC (All Colors)	30	CW 2400	CW 80	>80	Yoke	CE Rohs IP65	30,000 Hrs	2 Years
---	-------------	---	-----	---	----	---------	-------	-----	------	--------------------	------------	---------

\$156.16



HUAPEFLOL-FLD-(Color)-120D-(Voltage)-50W Specify Color and Voltage	Flood Light	WW 3000K CW 6000K Blue Green Red Yellow RGB	120	12V DC (White only) 85-265VAC (All Colors)	50	CW 4000	CW 80	>80	Yoke	CE Rohs IP65	30,000 Hrs	2 Years
---	-------------	---	-----	---	----	---------	-------	-----	------	--------------------	------------	---------

\$293.87



HUAPEFLOL-FLD-(Color)-120D-85-265V-80W Specify Color	Flood Light	WW 3000K CW 6000K Blue Green Red Yellow RGB	120	85-265 VAC	80	CW 6400	CW 80	>80	Yoke	CE Rohs IP65	30,000 Hrs	2 Years
---	-------------	---	-----	------------	----	---------	-------	-----	------	--------------------	------------	---------

\$232.93



HUFOB-RNDFLD-(Color)-(Beam Angle)- 100-265V-23W-SM Specify Color and Beam Angle	Flood Light	CW WW Red Blue Green Yellow RGB	15 30 45	100-265VAC	23	NA	NA	NA	Surface Mount	CE Rohs IP65	30,000 Hrs	2 Years
--	-------------	---	----------------	------------	----	----	----	----	---------------	--------------------	------------	---------

\$296.45



HUFOB-RNDFLD-(Color)-(Beam Angle)- 100-265V-55W-SM Specify Color and Beam Angle	Flood Light	CW WW Red Blue Green Yellow RGB	15 30 45	100-265VAC	55	NA	NA	NA	Surface	CE Rohs IP65	30,000 Hrs	2 Years
--	-------------	---	----------------	------------	----	----	----	----	---------	--------------------	------------	---------

\$176.14



HUFOB -DMXC-DMX512-110V Includes Remote	Controller	NA	NA	110	NA	NA	NA	NA	NA	CE Rohs	50,000 Hrs	1 Year
--	------------	----	----	-----	----	----	----	----	----	------------	------------	--------

\$462.00



HUUNI-FLD-(Color)-(Beam Angle)-100-277V-55W-Yoke Specify Color and Beam Angle	Flood Light	WW 300-3500K NW 4000-4500K CW 5500-6500K VCW 7000K	120Dx60D 15D Rnd Lens 30D Rnd Lens 45D Rnd Lens 60D Rnd Lens	100-277V PF 90	60	4000	72	75	Yoke	ETL CE IP65	50,000 Hrs	3 Years
--	-------------	---	--	-------------------	----	------	----	----	------	-------------------	------------	---------

\$221.38



HUUNI-WW-(Color)-(Beam Angle)-(Voltage)-10W-SM Specify Color, Beam Angle, and Voltage	Wall Washer	RGB AWB CW WW	15 30 60	100-240VAC 12VDC	10	NA	NA	NA	Surface	FCC ETL CE IP65	50,000 Hrs	3 Years
--	-------------	------------------------	----------------	---------------------	----	----	----	----	---------	--------------------------	------------	---------

\$385.00



HUUNI-WW-(Color)-(Beam Angle)-(Voltage)-45W-SM Specify Color, Beam Angle, and Voltage	Wall Washer	RGB AWB CW WW	15 30 60	100-240VAC 12VDC	10	NA	NA	NA	Surface	FCC ETL CE IP65	50,000 Hrs	3 Years
--	-------------	------------------------	----------------	---------------------	----	----	----	----	---------	--------------------------	------------	---------

\$625.63



HUUNI-WW-(Color)-(Beam Angle)-24VDC-105W-SM Specify Color and Beam Angle Includes Power Supply	Wall Washer	RGB AWB CW WW	15 30 60	24VDC 100-240VAC	105	NA	NA	NA	Surface	FCC ETL CE IP65	50,000 Hrs	3 Years
--	-------------	------------------------	----------------	---------------------	-----	----	----	----	---------	--------------------------	------------	---------

\$336.88



HUUNI-WW-(Color)-(Beam Angle)-100-240VAC-40W-SM Specify Color and Beam Angle	Wall Washer	WW NW CW AWB RGB	15 30 45 60	100-240VAC 12VDC	40W					Surface	ETL IP65	50,000 Hrs	3 Years
---	-------------	------------------------------	----------------------	---------------------	-----	--	--	--	--	---------	-------------	------------	---------

\$48.70



TL-SH-24-(Color)-(Lens)-100-277V-9W-GU13 Specify Color and Lens(CL Clear FL Frosted) LDL Listed	T8 Tube Light	WW 4000K NW 5000K CW 6000K	120	100-277V PF 88 THD<0.20	9	800	88	>80	GU13	Rohs UL	50,000 Hrs	5 Years
---	------------------	----------------------------------	-----	-------------------------------	---	-----	----	-----	------	------------	------------	---------

\$69.76



TL-SH-48-(Color)-(Lens)-100-277V-18W-GU13 Specify Color and Lens(CL Clear FL Frosted) DLC Listed	T8 Tube Light	WW 4000K NW 5000K CW 6000K	120	100-277V PF 88 THD<0.20	18	1700	94	>80	GU13	Rohs UL	50,000 Hrs	5 Years
--	------------------	----------------------------------	-----	-------------------------------	----	------	----	-----	------	------------	------------	---------

\$269.50



HUAZE-LF-48-5000K-140D-100-277VAC-22W-SM Includes two motion sensors Half light until full light activated by motion sensors	Linear Fixture	5000K	140D	100-277VAC	22	1800	82	70	Surface	UL IP54	50,000 Hrs	3 Years
--	-------------------	-------	------	------------	----	------	----	----	---------	------------	------------	---------

\$12.71



HUQUA-STRP-10"-(Color)-(Voltage)-3.6W-SM-IP65 Specify Color and Voltage Includes Connecting Wire and Mounting Hardware Wet Location Rated	Rigid Strip Light	CW WW RGB	120	12VDC 24VDC	3.6	CW 180lm WW 150lm	CW 50 WW 42	75	Surface	CE Rohs IP65	30,000 Hrs	1 Year
--	-------------------------	-----------------	-----	----------------	-----	----------------------	----------------	----	---------	--------------------	------------	--------

\$21.37



HUQUA-STRP-20"-(Color)-(Voltage)-7.2W-SM-IP65 Specify Color and Voltage Includes Connecting Wire and Mounting Hardware Wet Location Rated	Rigid Strip Light	CW WW RGB	120	12VDC 24VDC	7.2	CW 350lm WW 300lm	CW 49 WW 42	75	Surface	CE Rohs IP65	30,000 Hrs	1 Years
--	-------------------------	-----------------	-----	----------------	-----	----------------------	----------------	----	---------	--------------------	------------	---------

\$38.50



HUQUA-STRP-40"-(Color)-(Voltage)-14.4W-SM-IP65 Specify Color and Voltage Includes Connecting Wire and Mounting Hardware Wet Location Rated	Rigid Strip Light	CW WW RGB	120	12VDC 24VDC	14.4	CW 700 WW 600	CW 48 WW 42	75	Surface	CE Rohs IP65	30,000 Hrs	1 Years
---	-------------------------	-----------------	-----	----------------	------	------------------	----------------	----	---------	--------------------	------------	---------

\$10.59



HUQUA-STRP-10"-(Color)-(Voltage)-2.1W-SM Specify Color and Voltage Includes Connecting Wire and Mounting Hardware	Rigid Strip Light	CW WW R G B RGB	120	12VDC 24VDC	2.1 RGB 2.8	CW 180 WW 165	CW 86 WW 79	75	Surface	CE Rohs	30,000 Hrs	1 Year
---	-------------------------	--------------------------------	-----	----------------	----------------	------------------	----------------	----	---------	------------	------------	--------

\$17.33



HUQUA-STRP-20"-(Color)-(Voltage)-4.2W-SM Specify Color and Voltage Includes Connecting Wire and Mounting Hardware	Rigid Strip Light	CW WW R G B RGB	120	12VDC 24VDC	4.2 RGB 5.6	CW 370 WW 355	CW 80 WW 85	75	Surface	CE Rohs	30,000 Hrs	1 Years
---	-------------------	--------------------------------	-----	----------------	----------------	------------------	----------------	----	---------	------------	------------	---------

\$26.95



HUQUA-STRP-40"-(Color)-(Voltage)-8.4W-SM Specify Color and Voltage Includes Connecting Wire and Mounting Hardware	Rigid Strip Light	CW WW R G B RGB	120	12VDC 24VDC	8.4 RGB 11.2	CW 730 WW 715	CW 87 WW 85	75	Surface	CE Rohs	30,000 Hrs	1 Year
---	-------------------	--------------------------------	-----	----------------	-----------------	------------------	----------------	----	---------	------------	------------	--------

\$9.63



HUQUA-DMXC-12VDC Input - 3 Circuits -2A/Circuit	Controller	NA	NA	12VDC	NA	NA	NA	NA	NA	CE Rohs	NA	2 Years
---	------------	----	----	-------	----	----	----	----	----	------------	----	---------

\$19.25



HUQUA-DMXC-12VDC Input - 3 Circuits -4A/Circuit	Controller	NA	NA	12VDC	NA	NA	NA	NA	NA	CE Rohs	NA	1 Years
---	------------	----	----	-------	----	----	----	----	----	------------	----	---------

\$11.55



HUAPE-TWR-(Color)-12V-3W-G4 Specify Color	Tower	Cool White Warm White	360	12V AC/DC	3	CW 180lm WW 160lm	CW 60 WW 53	RA70	G4	CE Rohs	30,000 Hrs	1 Year
--	-------	--------------------------	-----	-----------	---	----------------------	----------------	------	----	------------	------------	--------

\$6.93



HUDHY-PYG-(Color)-180D-12V-0.7W-(Base) Specify Color and Base	Pygmy	WW 2700-3500K NW 3500-5000K CW-5000-7000K	180	12V AC/DC	0.7	WW 60 NW 65 CW 68	WW 85 NW 92 CW 97	80	Ba15s Ba15d Bay15d	CE Rohs	30,000 Hrs	1 Year
--	-------	---	-----	-----------	-----	-------------------------	-------------------------	----	--------------------------	------------	------------	--------

\$9.43



HUDHY-C25-(Color)-180D-(Voltage)-1.3W-(Base) Specify color, Voltage, and Base	Pygmy C25	Cool White Warm White	180D	12V AC/DC 10-30VDC 110-20VAC	1.3				Ba15s Ba15d E12	Rohs CE	30,000 Hrs	1 Year
--	-----------	--------------------------	------	------------------------------------	-----	--	--	--	-----------------------	------------	------------	--------

\$7.89



HUDHY-TWR-(Color)-360-12V-2W-T10 Wedge Specify Color	Tower	WW 2700-3500K CW 5000-7000K	360	12V AC/DC	2	180	90	NA	T10 Wedge	CE Rohs	30,000 Hrs	1 year
---	-------	--------------------------------	-----	-----------	---	-----	----	----	--------------	------------	------------	--------

\$6.93



HUDHY-TWR-(Color)-360-12V-1.3W-T10 Wedge Specify Color	Tower	WW 2700-3500K CW 5000-7000K Red Green Blue Amber	360	12V AC/DC	1.3	WW 75 CW 90	WW 57 CW 70	NA	T10 Wedge	CE Rohs	30,000 Hrs	1 Year
---	-------	---	-----	-----------	-----	----------------	----------------	----	--------------	------------	------------	--------

\$7.70



HUDHY-TWR-(Color)-360D-12V-3W-(Base) Specify Color and Base	Tower	WW 2700-3500K CW 5000-7000K Red Green Blue Amber	360	12V AC/DC	3	NA	NA	NA	Ba15s Ba15d Bay15d	CE Rohs	30,000 Hrs	1 Year
--	-------	---	-----	-----------	---	----	----	----	--------------------------	------------	------------	--------

\$7.70



HUDHY-TWR18BS-(Color)360D-(Voltage)-2W-G4 Specify Color and Voltage	Tower	WW 2700-3500K CW 5000-7000K	360	12V AC/DC 10-30VDC	2	WW 75 CW 80	WW 37 CW 40	80	G4	CE Rohs	30,000 Hrs	1 Year
--	-------	--------------------------------	-----	-----------------------	---	----------------	----------------	----	----	------------	------------	--------

\$5.10



HUDHY-FST42/6-(Color)-120D-(Voltage)-0.4W-S8.5 Specify Color and Voltage	Festoon	WW 2700-3500K CW 5000-7000K	120	12V AC/DC 24V AC/DC 10-30VDC	0.4	WW 35 CW 45	>80	WW 80 CW 75	S8.5	CE Rohs	30,000 Hrs	1 Year
---	---------	--------------------------------	-----	------------------------------------	-----	----------------	-----	----------------	------	------------	------------	--------

\$5.10




HUDHY-FST37/6-(Color)-120D-(Voltage)-0.4W-S8.5 Specify Color and Voltage	Festoon	WW 2700-3500K CW 5000-7000K	120	12V AC/DC 24V AC/DC 10-30VDC	0.4	WW 35 CW 45	>80	WW 80 CW 75	S8.5	CE Rohs	30,000 Hrs	1 Year
---	---------	--------------------------------	-----	------------------------------------	-----	----------------	-----	----------------	------	------------	------------	--------

\$6.93



HUDHY-SP-(Color)-120D-(Voltage)-1.8W-G4 Specify Color and Voltage	Side Pin	WW 2700-3500K CW 5000-7000K	120	12V AC/DC 10-30VDC	1.8	WW 160 CW 180	WW 88 CW 100	WW 80 CW 75	G4	CE Rohs	30,000 Hrs	1 Year
--	----------	--------------------------------	-----	-----------------------	-----	------------------	-----------------	----------------	----	------------	------------	--------

\$6.93



HUDHY-SP-(Color)-120D-(Voltage)-3W-G4 Specify Color and Voltage	Side Pin	WW 2700-3500K CW 5000-7000K	120	12V AC/DC 10-30VDC	3	CW 240 WW 200	CW 80 WW 67	CW 75 WW 80	G4	CE Rohs	30,000 Hrs	1 Year
--	----------	--------------------------------	-----	-----------------------	---	------------------	----------------	----------------	----	------------	------------	--------

\$6.93



HUDHY-SP-BP-(Color)-120D-(Voltage)-3W-G4 Specify Color and Voltage	Back Pin	WW 2700-3500K CW 5000-7000K	120	12V AC/DC 10-30VDC	3	CW 240 WW 200	CW 80 WW 67	CW 75 WW 80	G4	CE Rohs	30,000 Hrs	1 Year
---	----------	--------------------------------	-----	-----------------------	---	------------------	----------------	----------------	----	------------	------------	--------

\$5.39



HUDHY-FST42/12-(Color)-360D-(Voltage)-0.6W-S8.5 Specify Color and Voltage	Festoon	WW 2700-3500K CW 5000-7000K	360	12V AC/DC 24V AC/DC 10-30VDC	0.6	CW 55 WW 45	CW 92 WW 75	CW 75 WW 80	S8.5	CE Rohs	30,000 Hrs	1 Year
--	---------	--------------------------------	-----	------------------------------------	-----	----------------	----------------	----------------	------	------------	------------	--------

\$4.91



HUDHY-FST42/6-(Color)-120D-(Voltage)-1.5W-S8.5 Specify Color and Voltage	Festoon	WW 2700-3500K CW 5000-7000K	120	12V AC/DC 24V AC/DC 10-30VDC	1.5	CW 55 WW 45	CW 37 WW 30	CW 75 WW 80	S8.5	CE Rohs	30,000 Hrs	1 Year
---	---------	--------------------------------	-----	------------------------------------	-----	----------------	----------------	----------------	------	------------	------------	--------

\$4.62



HUDHY-FST42/3-(Color)-120D-(Voltage)-0.66W-S8.5 Specify Color and Voltage	Festoon	WW 2700-3500K CW 5000-7000K	120	12V AC/DC 24V AC/DC 10-30VDC	0.66	CW 52 WW 48	CW 79 WW 73	CW 75 WW 80	S8.5	CE Rohs	30,000 Hrs	1 Year
--	---------	--------------------------------	-----	------------------------------------	------	----------------	----------------	----------------	------	------------	------------	--------

\$4.62



HUDHY-FST37/3-(Color)-120D-(Voltage)-0.66W-S8.5 Specify Color and Voltage	Festoon	WW 2700-3500K CW 5000-7000K	120	12V AC/DC 24V AC/DC 10-30VDC	0.66	CW 52 WW 48	CW 79 WW 73	CW 75 WW 80	S8.5	CE Rohs	30,000 Hrs	1 Year
--	---------	--------------------------------	-----	------------------------------------	------	----------------	----------------	----------------	------	------------	------------	--------

\$6.83



HUDHY-FST42/9-(Color)-270D-(Voltage)-2W-S8.5 Specify Color and Voltage Doe Light-3 flat surfaces (10mm) on 135D angle	Festoon	WW 2700-3500K CW 5000-7000K	270	12V AC/DC 24V AC/DC 10-30VDC	2	CW 160 WW 145	CW 80 WW 73	CW 75 WW 80	S8.5	CE Rohs	30,000 Hrs	1 Year
---	---------	--------------------------------	-----	------------------------------------	---	------------------	----------------	----------------	------	------------	------------	--------

\$4.62



HUDHY-FST37/6-(Color)-120D-(Voltage)-1.5W-S8.5 Specify Color and Voltage	Festoon	WW 2700-3500K CW 5000-7000K	120	12V AC/DC 24V AC/DC 10-30VDC	1.5	CW 55 WW 45	CW 37 WW 30	CW 75 WW 80	S8.5	CE Rohs	30,000 Hrs	1 Year
---	---------	--------------------------------	-----	------------------------------------	-----	----------------	----------------	----------------	------	------------	------------	--------

\$5.97



HUDHY-FST31/12-(Color)-120D-(Voltage)-0.7W-S8.5 Specify Color and Voltage	Festoon	WW 2700-3500K CW 5000-7000K	120	12V AC/DC 24V AC/DC 10-30VDC	0.7	CW 70 WW 60	CW 100 WW 86	CW 75 WW 80	S8.5	CE Rohs	30,000 Hrs	1 Year
--	---------	--------------------------------	-----	------------------------------------	-----	----------------	-----------------	----------------	------	------------	------------	--------

\$4.81



HUDHY-FST31/4-(Color)-120D-(Voltage)-S8.5 Specify Color and Voltage	Festoon	WW 2700-3500K CW 5000-7000K	120	12V AC/DC 24V AC/DC 10-30VDC	0.8	CW 63 WW 60	CW 79 WW 75	CW 75 WW 80	S8.5	CE Rohs	30,000 Hrs	1 Year
--	---------	--------------------------------	-----	------------------------------------	-----	----------------	----------------	----------------	------	------------	------------	--------

\$10.01



HUDHY-TWR-(Color)-360D-(Voltage)-2.1W-G4 Specify Color and Voltage	Tower	WW 2700-3500K CW 5000-7000K	360	12V AC/DC 10-30VDC	2.1	WW 160 CW 210	WW 76 CW 100	WW 80 CW 75	G4	CE Rohs	30,000 Hrs	1 Year
---	-------	--------------------------------	-----	-----------------------	-----	------------------	-----------------	----------------	----	------------	------------	--------

\$7.70



HUDHY-TWR-(Color)-360D-(Voltage)-3.2W-G4 Specify Color and Voltage	Tower	WW 2700-3500K CW 5000-7000K	360	12V AC/DC 10-30VDC	3.2	CW 250 WW 232	CW 78 WW 73	CW 75 WW 80	G4	CE Rohs	30,000 Hrs	1 Year
---	-------	--------------------------------	-----	-----------------------	-----	------------------	----------------	----------------	----	------------	------------	--------

\$6.74



HUDHY-TWR-(Color)-360D-(Voltage)-1.3W-G4 Specify Color and Voltage	Tower	WW 2700-3500K CW 5000-7000K	360	12V AC/DC 10-30VDC	1.3	CW 150 WW 140	CW 115 WW 108	CW 75 WW 80	G4	CE Rohs	30,000 Hrs	1 Year
---	-------	--------------------------------	-----	-----------------------	-----	------------------	------------------	----------------	----	------------	------------	--------

\$5.49



HUDHY-TWR-(Color)-360D-(Voltage)-1.3W-G4 Specify Color and Voltage	Tower	WW 2700-3500K CW 5000-7000K	360	12V AC/DC 10-30VDC	1.3	CW 90 WW 75	CW 69 WW 58	CW 75 WW 80	G4	CE Rohs	30,000 Hrs	1 Year
---	-------	--------------------------------	-----	-----------------------	-----	----------------	----------------	----------------	----	------------	------------	--------

Shipping Information

LED Westcoast uses USPS Flat Rate shipping boxes for most shipments. Oversize products will be shipped FED EX Ground.
 USPS flat rate shipping costs will not exceed \$15.00
 LED Westcoast Does not provide shipping insurance. If requested insurance can be added for \$10.00 per Medium Flat Rate Box.
 LED Westcoast is not responsible for shipping damages.
 Shipping is free for orders of \$150.00 or more.
 Shipping costs to Hawaii and Alaska will be determined at time of order.

Warranty Information

LED Westcoast sole liability is limited to replacement, or repair, of the malfunctioning product. LED Westcoast is not responsible for any consequential damages caused by the failure of a product.
 If a product fails, return to Westcoast, in original packaging if possible, for examination and replacement.
 Product Warranty periods can be found in the Warranty column. Product warranties vary in length of time covered.

Payment Information

LED Westcoast accepts most credit cards, or payments can be made via PayPal. Sorry we do not accept checks.
 All payments must be made in full prior to shipment.
 LED Westcoast is located in Portland, Oregon. Oregon does not have any sales tax, and LED Westcoast does not collect any sales tax. Responsibility for any required sales tax payment lies with the buyer.

Product Specifications and Availability

LED Westcoast makes every effort to confirm product specifications are correct. However, LED Westcoast accepts no responsibility for representations of our manufacturers, or errors transcribing manufacturers data onto our catalog.
 LED Westcoast attempts to keep advertised products in stock and ready for immediate shipment. However, not all variations of all items may be in stock when ordered. Incoming deliveries may take up to 4 weeks for out of stock items.

Safety

All lamp installations requiring wiring or fixture changes must be performed by persons qualified to work with electricity and electrical products.